

# Booster™

## Granular Micronutrients

- Homogeneous
  - Granular
  - Low Dust

### GUARANTEED ANALYSIS

Magnesium (Mg) .....	10.0000%
5.000% Soluble Magnesium (Mg)	
Copper (Cu) .....	1.0000%
1.000% Water Soluble Copper (Cu)	
Sulfur (S)	
10.000% Combined Sulfur.....	10.000%
Iron (Fe) .....	12.000%
11.800% Water Soluble Iron (Fe)	
0.200% Iron (Chelated)	
Manganese (Mn) .....	1.0000%
1.000% Water Soluble manganese(Mn)	
Molybdenum (Mo) .....	0.0200%
Zinc (Zn) .....	1.0000%
1.0000% Water Soluble Zinc (Zn)	

Derived From: Copper Sulfate, Iron Oxide, Iron Sulfate, Ferrous Lignian Sulfonate chelate, Magnesium Sulfate, Manganese Sulfate, Sodium Molybdate, Zinc Sulphate, Magnesium Oxide.

Warning: This fertilizer is not to be used on soils which respond adversely to Molybdenum. Crops high in Molybdenum are toxic to ruminants.

### Directions for Use

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to, a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

DISTRIBUTED BY HARRELL'S LLC. (F352) 720 KRAFT ROAD, LAKELAND, FL 33801  
(863) 687-2774 - (800) 282-8007

180704

Density - 75 lb./cu. ft.)

CONVERSION TABLE		Harrell's SPOON SIZE/RATE	
Rounded Measure	Gram:	Spoon Size	Grams
1 teaspoon (tsp)	7.1	1	10
1 tablespoon (tbs)	22.0	2	15
1/4 cup	61.4	3	20
1/2 cup	141.5	4	26
*The gram weights are approximate. Actual weight in your measuring should be determined for the fertilizer being applied.		5	38
		6	54
		7	70
		8	88

### APPLICATION RATES

#### Incorporation

Uniformly mix (incorporate) Harrell's Booster into potting media at following rates using trials and grower experience to obtain optimum performance. The addition of dolomitic lime-stone, additional micronutrients or other media amendments may be needed.

POUNDS PER CUBIC YARD		
LOW	MEDIUM	HIGH
1	2	4

#### Topdressing-Rates Per Container

Uniformly apply product away from the base of plant.

(gallons)	Low	Medium	High
Trade G (g)	2	3	3
1 (g)	3	4	5
2 (g)	8	9	11
3 (g)	14	17	20
5 (g)	18	23	27
7 (g)	27	33	41
10 (g)	34	42	51
15 (g)	38	47	57
20 (g)	51	62	76
25 sqt. (g)	75	92	112
25 (g)	75	92	112
#35 (g)	84	102	125
#45 (lb.)	0.3	0.3	0.4
#65 (lb.)	0.3	0.4	.05
#95 (lb.)	0.6	0.7	0.8
#100 (lb.)	0.8	1	1.2
#200S (lb.)	1.2	1.4	1.7
#300 (lb.)	1.6	1.9	2.3

